



Viessmann®

4129

H0 Brückenmast

H0 Bridge mast

- (DE)** Modellbauartikel, kein Spielzeug! Nicht geeignet für Kinder unter 14 Jahren! Anleitung aufbewahren!
- (EN)** Model building item, not a toy! Not suitable for children under the age of 14 years! Keep these instructions!
- (FR)** Ce n'est pas un jouet! Ne convient pas aux enfants de moins de 14 ans! Conservez cette notice d'instructions!
- (PT)** Não é um brinquedo! Não aconselhável para menores de 14 anos! Conservar o manual de instruções!
- (NL)** Modelbouwartikel, geen speelgoed! Niet geschikt voor kinderen onder 14 jaar! Gebruiksaanwijzing bewaren!
- (IT)** Articolo di modellismo, non è un giocattolo! Non adatto a bambini al di sotto dei 14 anni! Conservare istruzioni per l'uso!
- (ES)** Artículo para modelismo ¡No es un juguete! No recomendado para menores de 14 años! Conserva las instrucciones de servicio!

Bedienungsanleitung Operation Manual

(DE)

1. Wichtige Hinweise

Bitte lesen Sie vor der ersten Anwendung des Produktes bzw. dessen Einbau diese Bedienungsanleitung aufmerksam durch und bewahren Sie diese auf. Sie ist Teil des Produktes.

1.1 Sicherheitshinweise



Vorsicht:

Verletzungsgefahr!

Aufgrund der detaillierten Abbildung des Originals bzw. der vorgesehenen Verwendung kann das Produkt Spitzen, Kanten und abbruchgefährdete Teile aufweisen. Für die Montage sind Werkzeuge nötig.

1.2 Das Produkt richtig verwenden

Dieses Produkt ist bestimmt:

- Zum Einbau in Modelleisenbahnanlagen und Dioramen.
- Zur Verwendung in trockenen Räumen.

Jeder darüber hinausgehende Gebrauch gilt als nicht bestimmungsgemäß. Für daraus resultierende Schäden haftet der Hersteller nicht.

1.3 Packungsinhalt überprüfen

Kontrollieren Sie den Lieferumfang auf Vollständigkeit:

- Brückenmast
- Grundträger
- Schraube
- Halterung für Märklin-Brücken
- Universalsockel
- Anleitung

2. Einbau




Vorsicht:

Niemals am Mast anfassen, sondern nur an dem Mastsockel (Abb. 1).

Schieben Sie den Mast von dem Grundträger.





2.1 Montage an Märklin-Brücken

- Stecken Sie den Grundträger auf die Halterung für Märklin-Brücken (Abb. 2 + 3).
- Klemmen Sie die Halterung mit dem Grundträger seitlich unter Ihrer Brücke fest und schieben den Brückenmast auf den Grundträger (Abb. 4 – 6).

Abb. 1**Fig. 1**

2.2 Montage an Brücken anderer Hersteller

- Schrauben Sie den Grundträger mit der beiliegenden Schraube auf dem Universalsockel fest (Abb. 7 + 8).
- Geben Sie etwas Klebstoff auf die gekennzeichneten Stellen des Universalsockels (Abb. 8) und kleben ihn an der Brücke fest (Abb. 9).
- Schieben Sie den Brückenmast auf den Grundträger (Abb. 10 + 11).

Abb. 2**Fig. 2****Abb. 3****Fig. 3****Abb. 4****Fig. 4****Abb. 5****Fig. 5****Abb. 6****Fig. 6****Abb. 7****Fig. 7****Abb. 8****Fig. 8****Abb. 9****Fig. 9****Abb. 10****Fig. 10****Abb. 11****Fig. 11**

Änderungen vorbehalten. Keine Haftung für Druckfehler und Irrtümer.

Die aktuelle Version der Anleitung finden Sie auf der Viessmann Homepage unter der Artikelnummer.

1. Important information

Please read this manual completely and attentively before using the product for the first time. Keep this manual. It is part of the product.

1.1 Safety instructions



Caution:

Risk of injury!

Due to the detailed reproduction of the original and the intended use, this product can have peaks, edges and breakable parts. Tools are required for installation.

1.2 Using the product for its correct purpose

This product is intended:

- For installation in model train layouts and dioramas.
- For operation in dry rooms only.

Using the product for any other purpose is not approved and is considered inappropriate. The manufacturer is not responsible for any damage resulting from the improper use of this product.

1.3 Checking the package contents

Check the contents of the package for completeness:

- Bridge mast
- Groundsocket
- Screw
- Bracket for Märklin bridges
- Universal base
- Manual

2. Mounting

Figures 2 – 11 please see on page 2.



Caution:

Never touch the mast but only the patented base socket (fig. 1).

Slide the mast from the groundsocket.

2.1 Mounting on Märklin bridges

- Push the groundsocket on the bracket for Märklin bridges (fig. 2 + 3).
- Clip the bracket with the groundsocket sideways under your bridge and slide the bridge mast onto the groundsocket (fig. 4 – 6).

2.2 Mounting on other manufacturers' bridges

- Screw the groundsocket with the enclosed screw onto the universal base (fig. 7 + 8).
- Apply a bit of glue to the marked points of the universal base (fig. 8) and glue it to the bridge (fig. 9).
- Slide the bridge mast onto the groundsocket (fig. 10 + 11).



Subject to change without prior notice. No liability for mistakes and printing errors.

You will find the latest version of the manual on the Viessmann website using the item number.



Viessmann Modelltechnik GmbH
 Bahnhofstraße 2a
 D - 35116 Hatzfeld-Reddighausen
 info@viessmann-modell.com
 +49 6452 9340-0
 www.viessmann-modell.de

Made in Europe

92364

Stand 04/sw

05/2023

Ho/Pic

